In the Claims:

Please amend claim 12, 17, 18 and 21 as follows:

Claims 1 to 11 (canceled).

12(currently amended). A method of at least one of promoting hair growth and Merchidecreasing hair loss, said method comprising the steps of:

a) providing an agent comprising at least one compound of formula (III)

a physiologically compatible salt thereof member selected from the group

consisting of compounds of formula (III) and physiologically compatible salts

wherein A and B, independently of each other, are each a CH group

atom, with the provise that at least one of said A and B is said Of

PAGE 3/13* RCVD AT 9/10/2004 3:19:26 PM [Eastern Daylight Time] * SVR:USPTO-EFXRF-1/0 * DNIS:8729306 * CSID:631 549 0404 * DURATION (mm-ss):15-16

BEST AVAILABLE COPY

Y represents -O-, -(CH₂)_n-, -NH-CH₂-, -CH₂-NH-, -N=N-, -CH=CH-, -CH₂-CH₂-CH₂-O-CH₂-, -N=CH-, -CH=N-, -(CH₂-CH₂-O)_m- or -(O-CH₂-CH₂)_m-, with m and independently of each other, equal to 1, 2, 3 or 4;

R7 represents -OH, -OSO₃H, -OALK or -OCOCH₃, wherein ALK represents alkyligroup having one to four carbon atoms;

R8 represents an alkyl group with one to eight carbon atoms, a hydroxyalkyl group having from one to six carbon atoms, a hydroxyalkenyl group having from two to six carbon atoms, an aryl group, a heteroaryl group or an alkenyl carboxylic acid group having two to six carbon atoms; and

- promoting of said hair growth or said decreasing of said hair loss; and
- c) leaving said agent on said hair and scalp for a predetermined time

13 original). The method as defined in claim 12, wherein said predetermined in the said predeter

#4(original): The method as defined in claim 12, wherein after said applying scale is massaged for another predetermined time interval.

15(eriginal). The method as defined in claim 14, wherein said another predetermined time interval is for from 1 to 5 minutes.

16 (canceled).

17(currently amended). The method as defined in claim 12, wherein said and said education of the formula (III) in which Y represents -N=N-, -(CH₂)n-, -

CH=CH-, -N=CH- or -CH=N-; R7 represents -OH, -OSO₃H or -OALK, where ALK is an alkyl group having one to four carbon atoms and R8 represents an alkyl group with one to six carbon atoms, a hydroxyalkyl group having from or to six carbon atoms, a phenyl group, a benzyl group or a pyridyl group.

18(currently amended). The method as defined in claim 12, wherein A method at least one of promoting hair growth and decreasing hair loss, said method comprising the steps of:

a) providing an agent comprising at least one compound of formula (III) a physiologically compatible salt thereof:

Ø1006

wherein A and B, independently of each other, are each a CH group

Y represents -O-, -(CH₂)_n-, -NH-CH₂-, -CH₂-NH-, -N=N-, -CH=CH-, -CH₂-O-O-CH₂-, -N=CH-, -CH=N-, -(CH₂-CH₂-O)_m- or -(O-CH₂-CH₂)_m-, with relands
independently of each other, equal to 1, 2, 3 or 4;

R7 represents -OH, -OSO₃H, -OALK or -OCOCH₃, wherein ALK represents alkyl group having one to four carbon atoms;

R8 represents an alkyl group with one to eight carbon atoms, a hydroxyalkyl group having from one to six carbon atoms, a hydroxyalkenyl group having two to six carbon atoms, an aryl group, a heteroaryl group or an alkenyl carboxylic acid group having two to six carbon atoms; and

b) applying said agent to hair and scalp in an amount sufficient for said promoting of said hair growth or said decreasing of said hair loss; and

c) leaving said agent on said hair and scalp for a predetermined time

wherein said agent is 2,6-diamino-3-((pyridin-3-yl)-azo)pyridin-boxid

19 (canceled).

20(original). The method as defined in claim 12, wherein said agent is a hair or a preparation for sustained release of said agent.

24 (currently amended). A method of at least one of promoting hair growth an decreasing hair loss, said method comprising the steps of:

US PTO

a) providing an agent comprising at least one compound of tom physiologically compatible salt thereof member selected from the group edisisting of compounds of formula (III) and physiologically compatible

wherein A and B, independently of each other, are each a CH group

milliogen atom; with the provise that at least one of said A and B is said St

Y represents O-, -(CH₂),-, -NH-CH₂-, -CH₂-NH-, -N=N-, -CH=CH; CH2 O

N=CH-, -CH=N-, -(CH₂-CH₂-O)_m- or -(O-CH₂-CH₂)_m-, with manner

independently of each other, equal to 1, 2, 3 or 4;

Represents -OH, -OSO3H, -OALK or -OCOCH3, wherein ALK represents

akylgroup having one to four carbon atoms;

H8 represents an alkyl group with one to six carbon atoms, a hydroxyalay

having from one to six carbon atoms, a hydroxyalkenyl group having from two

→ US PTO

six carbon atoms, an aryl group, a heteroaryl group or an alkenyl carbo group having two to six carbon atoms; and

- b) applying said agent to hair and scalp in an amount sufficient to promoting of said hair growth or said decreasing of said hair loss;
 - c) massaging said scalp for one to five minutes after the applying of
 - d) leaving said agent on said hair and said scalp for at least 24 hours

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
O amuun

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.